

From: Richard Fetzer/R3/USEPA/US
Sent: 8/5/2012 7:44:25 PM
To: "Heather Gray" <Gray.Heather@epa.gov>
CC: "Humane Zia" <Zia.Humane@epamail.epa.gov>; "heston.gerald@epa.gov" <heston.gerald@epa.gov>; "carney.dennis@epa.gov" <carney.dennis@epa.gov>; "Richard Rupert" <Rupert.Richard@epamail.epa.gov>
Subject: Re: Removal of EPA rental water tank at Saunter Residence

Thanks Heather.

I will email should things go smoothly as expected....or call if we need ORC help.

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: Heather Gray/R3/USEPA/US
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: Humane Zia/R3/USEPA/US@EPA, heston.gerald@epa.gov, carney.dennis@epa.gov, Richard Rupert/R3/USEPA/US
Date: 08/05/2012 04:09 PM
Subject: Re: Removal of EPA rental water tank at Saunter Residence

My understanding is that this is correct. Humane is away for two weeks, and I will be handling ORC matters on this in the meanwhile. Humane advised me last week that she spoke with Tate Kunkle, attorney for the Sautners, and that they will allow removal of the tank, although they did not want to sign anything. Their verbal access is sufficient.

So there is no change to the plan. I will be ready to discuss if there are any issues or complications tomorrow. Please let me know if you have further questions. Heather

From: Richard Fetzer/R3/USEPA/US
To: Humane Zia/R3/USEPA/US@EPA
Cc: Heather Gray <Gray.Heather@epamail.epa.gov>, heston.gerald@epa.gov, carney.dennis@epa.gov, Richard Rupert/ESC/R3/USEPA/US
Date: 08/05/2012 01:56 PM
Subject: Removal of EPA rental water tank at Saunter Residence

Humane,

I just want to make sure we are on the same page with regard to the removal of the EPA rented water tank at this residence. I have given instructions, based upon our email and verbal discussion from last week, to the ERRS contractor to arrive at the Saunter residence at approximately 0830 hours on August 6, 2012 with the mission to disconnect, drain, and remove the EPA rented water tank. This operation should take approximately 30 to 60 minutes to complete. I have told the ERRS Response Manager that I would call him at 0800 hours to confirm this instruction.

Please advise me if this understanding is correct (that EPA has access to perform this work) and that we have not heard anything to the contrary from the resident. I do not plan to have any EPA contact (via phone or in person) before or during this operation. This is to honor the wishes of the resident to work through their attorney on this issue.

Please advise if there is any change to the plan. Thanks.

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307